

THIS MATERIAL SAFETY DATA SHEET MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200 AND ANSI Z400-1-1998.

1. PRODUCT AND COMPANY IDENTIFICATION:

11/5/08

PRODUCT NAME: Ever-Wear Cooling System Sealer
TRADE NAME: Cooling System Sealer
PRODUCT CODE: TLF 104
GENERAL USE: Radiator Sealer

DISTRIBUTED BY: QMI, Inc.
ADDRESS: 3606 Craftsman Blvd
Lakeland FL 33803
PHONE NUMBER: (863) 665-3338
CHEMTREC: (800) 424-9300 (24 HOUR)
OUTSIDE U.S. (703) 527-3887

2. COMPOSITION INFORMATION ON INGREDIENTS:

COMPONENT	CAS#	WT%
Water	7732-18-5	96.305
Wood Flour	Not Established	2.80
Carbomer	9003-01-4	0.60
Ammonium Hydroxide	1336-21-6	0.20
Methylchlorisothiazolinone	26172-55-4	0.05
Methylisothiazolinone	2682-20-4	0.03
Fragrance	Not Applicable	0.015

HAZARDOUS COMPONENTS (OSHA 29CFR 1910.1200)

Ammonium Hydroxide OSHA PEL - 50 ppm & ACGIH - 25 ppm

VOC COMPLIANT: Exempt

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW: Semi-viscous brown woody liquid

Irritating to eyes on contact.

INHALATION: None Known.

EYE CONTACT: Irritation and redness.

SKIN CONTACT: Irritation, redness and dryness.

INGESTION: Irritation, & nausea.

CHRONIC: None known

4. FIRST AID MEASURES:

INHALATION: None known.

EYE CONTACT: Rinse with water for 15 minutes. Get medical attention.

SKIN CONTACT: Wash with soap and water. Rinse thoroughly.

INGESTION: Do not induce vomiting. Get medical attention.

POTENTIAL ENVIRONMENTAL EFFECTS: Harmful to aquatic organisms.

5. FIRE FIGHTING MEASURES:

Flashpoint and Method: Will not flash.

Flammable Limits: Not Applicable

Autoignition Temperature: Not Applicable

EXTINGUISHING MEDIA: Water, dry chemical, foam, & CO2.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

FIRE FIGHTING INSTRUCTIONS: Use water mist to cool fire exposed drum if exposed to high heat.

FIRE FIGHTING EQUIPMENT: Bunker gear and SCBA.

6. ACCIDENTAL RELEASE MEASURES:

LAND SPILL: Avoid runoff into storm sewers or ditches by containment with sand or absorbent material.

WATER SPILL: Remove from with suitable absorbent material.

7. HANDLING AND STORAGE:

HANDLING - TAKE NORMAL CARE TO PREVENT PROLONGED SKIN CONTACT.

STORAGE - KEEP FROM FREEZING OR FROM HEATING ABOVE 110°F. STORE IN ORIGINAL CONTAINER.

8. EXPOSURE CONTROL/PERSONAL PROTECTION:

ENGINEERING CONTROLS: The use of mechanical ventilation is not needed under normal conditions.

PERSONAL PROTECTION: Not need under normal conditions. However for prolonged contact the use of rubber gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES:

VAPOR PRESSURE: Not Determined

SPECIFIC GRAVITY: 1.00 @ 70°F - (Weight(lb./gal.) 8.38

SOLUBILITY IN WATER: complete

PH: 8.0 - 9.0

BOILING POINT: Not Available

VISCOSITY: 100-160 cps. (Spindle 2 @ 20 rpm)

EVAPORATION RATE: .1 (n-Butyl Acetate=1)

FREEZING POINT: Not Available

ODOR: bland

APPEARANCE: Semi-viscous brown woody liquid

PHYSICAL STATE: Liquid

FLASH POINT: Will not flash

VOC%: 0 g/Liter (Calculated)

10. STABILITY AND REACTIVITY:

GENERAL: This product is stable and hazardous polymerization will not occur.

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID: Strong acids and bases.

HAZARDOUS DECOMPOSITION: None known.

11. TOXICOLOGICAL INFORMATION: The complete toxicological data for each ingredient is beyond the scope of this document.

12. ECOLOGICAL INFORMATION:

ECOTOXIOLOGICAL INFORMATION: This product is harmful to fish and algae upon immediate exposure.

13. DISPOSAL CONSIDERATION:

Please refer to Sections 5,6, and 15 for disposal and regulatory information.

14. TRANSPORTATION INFORMATION:

DOT Shipping description: Unrestricted/Non-regulated

15. REGULATORY INFORMATION:

TSCA (Toxic Substance Control Act): All components are listed on the TSCA.

CERCLA: Not reportable

SARA Title III: No known reportable ingredients.

16. OTHER INFORMATION:

NFPA RATING: Health-1, Fire-0, Reactivity-0

KEY: 4=Severe, 3=Serious, 2=Moderate, 1=Slight, 0=Minimal

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSON PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.